



HOLINKING HARDWARE  
[www.holinking.com](http://www.holinking.com)

# Holinking Hardware Shower Seats







### **SCP0001 Tool-Free Legs Adjustable Round Shower Chair**

**Non-slip rubber feet for added stability.**

**Max. User Weight: 397 lbs.**

**Product Size: L 12.6" \* W 12.6" \* H 13.7" ~ 20.6"**  
**(8 adjusting levels).**

**Material: PE seat & Aluminum tube.**



### **SCP0002 Tool-Free square shower chair**

**Max. user weight: 250 lbs.**

**5 height adjustable levels: 14.4" to 18.3".**

**Product Size: 16.7" L \* 15.2" W \* 14.4" H.**

**Material: PE, EVA, and Aluminium tube.**



### **SCP0003 Faux Teak Shower Corner Seat**

**Material : ABS & Aluminum.**

**Max. user weight: 300 lbs.**

**L 20.15" \* W 19.48" \* H 16.6" to 20.3" adjusting.**





### **SCP0004 Faux Teak Fold Down Shower Seat**

**Max user weight: 300 lbs.**

**Material: ABS, Aluminum, Rust-resistant plate.**

**Finish: Bronze powder coating, Painted Faux teak.**



### **SCP0005 Bathtub Seat**

**Max user weight: 250 Lbs (113 Kgs).**

**Material: PP seat, TPR, Aluminum tube.**

**Adjustable length: 67.5 cm ~ 75.5 cm \* 34 cm \* 8 cm.**

**Finish: White Powder Coating.**

**Unit weight: 4.4 lbs/ set.**

**Packing: 1 Set/ Inner box, 4 Sets/ Carton. 2.2 Cu'ft.**



### **SCP0006 Tool-Free Shower Chair**

**Non-Slip Rubber Feet for added stability.**

**Adjustable seat height: 14.2" to 19.1".**

**Max User Weight: 250 lbs.**

**Material: PE, Aluminum tube.**





**SCP0007 Bathtub Seat, Adjustable function designed.**

**Max user weight: 250 Lbs (113 kgs).**

**Overall size: 34 cm \* 12 cm \* 70 ~ 85 cm.**

**Material: PP seat, Aluminum tube Powder coating.**

**Packing: 1 Set/ Inner box, 4 Sets/ Carton, 1.81 Cu'ft (39 \* 36 \* 37 cm).**

**N.W: 8 Kgs, G.W: 9 Kgs.**

**20' container load Q'ty: 2,096 Sets. 40' container load Q'ty: 4,308 Sets.**

**MOQ: 200 Sets.**

**SCP0008 Tool-Free Adjustable Shower Chair,  
with Soft pad and Backrest.**

**Non-slip rubber feet for added stability.**

**Max. user weight: 250 lbs.**

**5 Adjustable levels: 14.4" ~ 18.3".**

**Product Size: 16.7" L \* 15.2" W \* 25.4" ~ 29.3" H.**

**Product Weight: 5.9 Lbs.**

**Material: PE seat, EVA, Aluminium tube.**





### **SCP0009 Folding Shower Seat, Wall-mounted.**

**All metal parts are fabricated of 18-8 alloy type #304 stainless steel.**

**The seat frame & support legs shall be 1" (25mm) OD, 18 gauge (1.2mm t) guide bracket support.**



**The seat shall be solid phenolic with White color on top and bottom surfaces and shall have Black edges.**

**The folding shower seat strength to support a load of 250 pounds (113.4 kg).**

**The unit shall satisfy ADA Accessibility Guidelines when mounted properly.**

**MOQ: 100 Pcs.**

### **SCP0010 L-Shape Folding Shower Seat, Wall-mounted.**

**All metal parts are fabricated of 18-8 alloy type #304 stainless steel.**

**The seat frame & support legs shall be 1" (25mm) OD, 18 gauge (1.2mm t) guide bracket support.**



**The seat shall be solid phenolic with White color on top and bottom surface and shall have Black edges.**

**The folding shower seat strength to support a load of 250 pounds (113.4 kg).**

**The unit shall satisfy ADA Accessibility Guidelines when mounted properly.**

**MOQ: 100 Pcs.**



## About Us

**Holinking specializes in fountain faucet, plumbing specialties and OEM services Stainless steel #316, Aluminum #6061, forged Brass rods #46400, #6806,..etc. precision machining.**

**We are experienced well with plumbing remodeling components, plumbing stems / cartridges, angle stop valves, and bathroom & kitchen accessories.**

**We team-work services our client's One-stop purchases saving the clients' sourcing time and cost in these plumbing categories**

**Holinking commitment to excellent customer service and high-quality production for their trust and confident ensures that customer needs are consistently.**

**Holinking support our clients with excellent plumbing technical preview and high-quality productions, Since our superior OEM services experience in Stainless steel, Zinc die casting, Plastic injection / molding capability.**

**We are in Innovation and Creativity to growing with our clients' plumbing.**



**HOLINKING HARDWARE**  
[www.holinking.com](http://www.holinking.com)